

Food Fact Sheet

Iron

Iron is a mineral that has many different roles in the body. Iron is particularly important for making haemoglobin: a protein contained in red blood cells that transports oxygen around the body. Iron also plays an essential role in maintaining a healthy immune system (your body's natural defence system).

This Food Fact Sheet lists the recommended amounts of iron for different groups of people and the foods and drinks that are rich in iron. It also gives you some ideas on how you might achieve your recommended intake.

What are the symptoms of iron deficiency?

People with mild iron deficiency often feel tired, lacking in energy and tend to be more susceptible to infections. With more severe iron deficiency (called iron deficiency anaemia) symptoms such as heart palpitations, brittle nails, thinning hair, itchy skin (pruritus) and mouth sores or ulcers can develop.

Which foods are good sources of iron?

Many different foods contain iron in different amounts. Some food sources are more ironrich than others. For example, animal-based sources such as red meat (beef, lamb and pork) are particularly rich sources of iron and are most easily absorbed, and to a lesser extent fish and poultry. (see Table 2)

Plant-based sources of iron include pulses and legumes (such as beans, peas, and lentils), dark green leafy vegetables (such as spinach, cabbage, and broccoli), tofu, nuts and seeds.



The iron in animal-based sources is often referred to as 'haem iron' whilst the iron in plant-based sources is often referred to as 'non-haem iron'. 'Haem iron' can increase the absorption of 'non-haem iron'. Therefore, to improve iron status it can be beneficial to eat, for example, red meat (beef, lamb or pork) alongside green leafy vegetables. Many breakfast cereals are also fortified with iron.

Table 1: How much iron do I need?

Group	Age (years)	Iron (mg) per day
Infants	0-3 months	1.7
	4-6 months	4.3
	7-12 months	7.8
Children	1-3 years	6.9
	4-6 years	6.1
	7-10 years	8.7
Adolescents	11-18 years	14.8(girls)
	Tr To years	11.3 (boys)
Adults	19-50 years	8.7 (males)
	19-50 years	14.8 (females)
	50+ years	8.7

www.bda.uk.com/foodfacts

Iron and vegetarianism

Although not as easily absorbed as animal-based sources, plant-based foods such as beans, grains and vegetables also contain iron. Some plantbased foods contain more iron than others and food preparation can enhance iron absorption. For example, cooking, soaking nuts and seeds and using sprouted seeds and grains. Try and opt for the more iron-rich plant-based foods. (see Table 2 for suggestions).

What about vitamin C?

Although vitamin C has been shown to increase the absorption of iron, it is currently unclear as to whether this improves iron status. Nevertheless, fruits and vegetables rich in vitamin C should be eaten in regularly in the diet.

Tips to ensure an iron-rich diet

- Add green leafy vegetables to main meals.
- Add dried fruit to desserts and have fruit and (or) nuts as snacks between meals.
- Try iron fortified products.

Menu ideas*

Breakfast

Fortified breakfast cereal or wholemeal toast. Piece of fruit.

Lunch

Wholemeal sandwich with tuna, sliced beef or pork and salad.

or

Sardines or baked beans on wholemeal toast.

Salad sprinkled with seeds with a portion of meat, fish or pulses and potatoes

Serving of meat, fish, poultry or pulses with vegetables and potatoes

Bean curry or chilli served with potatoes and side salad

or

Baked potato (with skin) with baked beans and vegetables

Snacks

Fruit (fresh or dried), handful of nuts

*These menu ideas are just a guide. For tailored dietary advice, seek assistance from a dietitian.

Table 2: Iron in different foods

	Iron per 100g	
Animal-based sources		
Beef (Rump steak)	3.6mg	
Beef mince (stewed)	2.7mg	
Pork chop (grilled)	0.7mg	
Lamb leg (roasted)	1.8mg	
Chicken (roasted, light meat)	0.7mg	
Liver pate	5.9mg	
Sausages (pork)	1.1mg	
Back Bacon (grilled)	0.6mg	
Eggs (fried)	2.2mg	
Fish-based Sources		
Cod/Haddock (baked)	0.1mg	
Salmon (steamed)	0.4mg	
Mackerel (grilled)	0.8mg	
Prawns (boiled)	1.1mg	
Tuna (canned in brine)	1.0mg	
Plant-based sources		
Baked beans (in tomato sauce)	1.4mg	
Butter beans (canned)	1.5mg	
Chickpeas (boiled)	2mg	
Kidney beans (canned)	2mg	
Tofu (steamed)	1.2mg	
Fruit, nuts and seeds		
Figs (partially dried)	3.9mg	
Apricots (partially dried)	3.4mg	
Dates (dried)	1.3mg	
Almonds	3mg	
Brazil nuts	2.5mg	
Peanut butter (smooth)	2.1mg	
Hazelnuts	3.2mg	
Sesame seeds	10.4mg	
Sunflower seeds	6.4mg	
Vegetables		
Broccoli (boiled)	1mg	
Spinach (boiled)	1.6mg	

Summary:

Iron is an important mineral we need to have in our daily diet. Opt for a variety of iron-rich foods to ensure an adequate intake of iron.

Further information:

Food Fact Sheets on other topics including Vitamin D are available at www.bda.uk.com/ foodfacts

This Food Factsheet is a public service of The British Dietetic Association (BDA) intended for information only. It is not a substitute for proper medical diagnosis or dietary advice given by a dietitian. If you need to see a dietitian, visit your GP for a referral or: www.freelancedietitians.org for a private dietitian. To check your dietitian is registered check www.hcpc-uk.org





