



GIG
CYMRU
NHS
WALES

Bwrdd Iechyd Prifysgol
Aneurin Bevan
University Health Board


Patient Information

Circumcision

Department of Urology

What is a circumcision?

An operation to remove the foreskin leaving the head or glans of the penis exposed. This is normally done if the foreskin has become tight making it difficult to pull back and wash underneath, painful when having sexual intercourse or the skin becomes broken and sore.



What are the alternatives?

Topical creams and washes (including short-term use of steroid cream) - for phimosis, these may decrease inflammation and relieve the tightness and symptoms often return when the treatment is stopped. They are not suitable or effective in all patients and your urologist will be able to advise you accordingly. Circumcision is usually necessary when topical agents fail.

What are the benefits of this operation?

Allows cleaning around the glans reducing the risk of infection.
Resolves the problem of pain and discomfort you may have had due to the foreskin being tight.

What happens before my operation?

You will be asked to attend a pre-admission clinic to ensure that you are fit to have your operation and a specialist nurse or a doctor will discuss the operation with you. If you are happy to go ahead with the operation, you will be asked to sign a consent form.

You will be admitted on the day of your operation. You will be asked to shower and put on a gown. A nurse from the ward will accompany you to theatre where you will be given a local or general anaesthetic.

What does the operation involve?

The operation can be done under a local (numbs the area) or general anaesthetic (put to sleep) or spinal (numbed from the waist down). The operation takes about 20-30 minutes. The foreskin is removed and the remaining skin is stitched to the base of the glans.

- **General/Spinal Anaesthetic** - You will be asked not to eat or drink any non-clear fluids, such as soup, milk etc., for 6 hours before your operation. You can have clear fluids (water/squash) up to 2 hours before your operation. After this you will be asked not to drink anything further. **If you are an insulin dependent diabetic or any anti-coagulants (Blood thinners), you will need special instruction, please discuss this with your nurse.**
- **Local Anaesthetic** – You will be able to eat and drink normally.

You will be advised which of your regular medications (tablets) you should or should not take before your operation. **Please ask if you are not advised.**

Are there any after-effects?

The possible after-effects and your risk of getting them are shown below. Some are self-limiting or reversible, but others are not. We have not listed very rare after-effects (occurring in less than 1 in 250 patients) individually. The impact of these after-effects can vary a lot from patient to patient; you should ask your surgeon's advice about the risks and their impact on you as an individual:

After-effect Risk

Swelling of the penis which usually lasts a few day –
All patients

Increased sensitivity of the head of your penis which can last for up to two week –
Almost all patients

Permanent altered or reduced sensation in your glans penis (head of the penis) –
Almost all patients

Infection of the incision requiring antibiotics or surgical drainage --
Between 1 in 50 & 1 in 100 patients (1 to 2%)

Bleeding from the wound, occasionally requiring a further procedure --
Between 1 in 50 & 1 in 100 patients (1 to 2%)

Dissatisfaction with the cosmetic result –
Between 1 in 50 & 1 in 250 patients

Oedema (swelling) of excess skin requiring further surgery and skin removal –
Between 1 in 50 & 1 in 250 patients

Permission for biopsy of abnormal area on glans if malignancy (cancer) is a concern and need for removal of excess skin at a later date.

Do I have to stay in hospital overnight?

No. If the operation is performed under local anaesthetic, you will be able to go home after an hour once you feel fine. If your operation is done under a general anaesthetic, this is mainly done as a day case but you will need to arrange for someone to collect you and be with you for 24 hours after your operation.

Will it be painful afterwards?

You may feel some pain/discomfort for the first few days. This can usually be controlled with painkillers. If you have a spinal you will need to wait until the sensation returns to your legs. Make sure someone is with you when you first get up.

When do the stitches have to come out?

The stitches dissolve after about 2 weeks so you do not have to have them removed.

Will I need any follow up?

If you need a follow up appointment, you will be told of this before you leave.

Discharge Information

- You can eat and drink normally.
- You should avoid any activities/exercise where you are likely to knock the penis.
- Wear supportive underpants for the first 2-3 weeks, this will help reduce swelling.
- Keep the area clean. You can shower the day after but pat dry, do not rub, until the wound has healed completely. The dressing can be soaked off at this time, there is no need to apply another unless you feel more comfortable with one.
- Sexually active men should avoid sexual intercourse for 3-4 weeks until the skin is completely healed. You may notice some bleeding and sensitivity initially. If sexual activity/erections are painful, you may need to wait a little longer for things to heal.
If discomfort/bleeding persist, you should call the hospital or see your GP.
- You can drive whenever you feel comfortable to do so.
- You can return to work when you feel comfortable to do so, normally a week. If your work involves heavy lifting/manual work you may need more time off. Discuss this with your nurse/doctor before you are discharged.
- If you develop a temperature or feel unwell, your wound becomes red, tender/hot to touch or is discharging fluid/pus, contact the ward or your GP for advice.

If you have any questions or concerns, please find below contact numbers for the Urology wards and Urology nurses:-

Urology Ward D2 East

Tel. No:- 01633 - 234043 / 234044
24 hours

Urology Outpatients Department

Tel. No:- 01633 - 234979
Monday – Friday office hours

Urology Day Ward

Tel. No:- 01633 – 656378 / 656377
Monday – Friday office hours

Uro-Oncology Clinical Nurse Specialists

Julie Simpson

Sian Lewis

Louise Broadway

Kathleen Connor-Middleton

Tel. No: 01633 – 238976 (will return voicemails when not on clinical duties)

Monday – Friday office hours

Urology Nurse Practitioner

Laura Reynolds

Leanne Denning

Tel. No:- 01633 – 234758

Monday – Friday office hours

Surgery/Pre-admission queries

Tel. No:- 01633 – 238568

Monday – Friday office hours

Reference:

British Association of Urological Surgeons (BAUS) Limited (June 2017) Information about your procedure-Circumcision

Tanagho E A McAninch J W 2003. Smiths General Urology

“This document is available in Welsh / Mae’r ddogfen hon ar gael yn Gymraeg”.